

**ERRATUM to the report of the Scientific Committee on Animal Health and
Animal Welfare adopted on 12-13 December 2001 on
« The Welfare of Animals kept for Fur Production »**

Based on the comments from the working group, the report has been amended by the Scientific Committee on Animal Health and Animal Welfare in the plenary meeting held in Brussels the 5th February, as follows:

1. The formerly missing references have been included in a complementary list attached as Annex 1.
2. Page 46, conclusion 8, and page 176, conclusion 11 ; « ...in the species studied : silver fox and mink » is changed to « in the species studied .»
- 3 Page 47, line 5 ; « ...and banned fur farming,... » is changed to « ... and banned some fur farming,... ».
4. Page 117, conclusion 9, and page 178, conclusion 178, conclusion 37 ; « ...has yet been adopted commercially » is changed to « ... has yet been widely adopted commercially ».
5. Page 117, conclusion 11, and page 178, conclusion 39 ; « ...deafness, blindness or other sensory impairment ... » is changed to « ... deafness, or other sensory impairment... ».
6. Page 178, conclusion 32 ; « ... has to be designed. « is changed to « has yet to be designed ».
7. Page 211. The following text is inserted immediately after the end of the first sentence on this page: « The working group drafted the report, which was then edited and amended by the Scientific Committee on Animal Health and Animal Welfare. The Scientific Committee is solely responsible for the final text, including the conclusions and recommendations and the members of the working group may therefore not necessarily agree with all parts of the report. »
8. A list of the members of the Scientific Committee on Animal Health and Animal Welfare which has adopted the present document is provided in Annex 2.

ANNEX 1

LIST OF ADDITIONAL REFERENCES

Ahlstrom, O., Skrede, A. (1995a). Fish-oil as an energy-source for blue foxes (*Alopex lagopus*) and mink (*Mustela vison*) in the growing-furring period. *Journal of Animal Physiology and Animal Nutrition*. Vol. 74, pp 146-156.

Ahlstrom, O., Skrede, A. (1995b). Comparative nutrient digestibility in blue foxes (*Alopex lagopus*) and mink (*Mustela vison*) fed with diets diverging fat/carbohydrate ratios. *Acta Agriculturae Scandinavica Section A- Animal Science*. Vol. 45, pp 74-80.

Ahlstrom, O., Skrede, A. (1997). Liver fatty acid composition and peroxisomal fatty acid oxidase activity in blue foxes (*Alopex lagopus*) and mink (*Mustela vison*) fed diets containing different levels of fish oil. *Comparative Biochemistry and Physiology*. Vol. 117, pp 135-140.

Aulerich, R.J., Heil, C.R., Lehning, E.J., Ringer, R.K. (1989). Leukocyte ratios of mink kits from birth to 10 weeks of age. *Scientifur*, Vol. 13, No 2, p. 104.

Aulerich, R.J., Bursian, S.J., Napolitano, A.C., Balander, R.J. (1991). Single, double, triple housing in various size cages: Effects on stress in mink. *Blue Book of Fur Farming*. pp 23-27.

Bassett, C.F., Llewellyn, L.M. (1949). The molting and fur growth pattern in the adult mink. *The American Midland Naturalist*. Vol. 42, N 3, pp. 751-756.

Belyaev, D.K., Trapezov, O.V. (1986). Connection of selection change in behaviour with reproductive function in *Mustela vison schr*, mink. *Zhurnal Obsheei Biologii*. Vol. 47, pp 445-450.

Bendavid, M. (1997). Timing of reproduction in wild mink: The influence of spawning Pacific salmon. *Canadian Journal of Zoology – Revue Canadienne de Zoologie*. Vol. 75, pp 376-382.

Berg, P. (1993a). Variation between and within populations of mink (1): Weight and skin length. *Acta Agriculturae Scandinavica Section A- Animal Science*. Vol. 43, pp 151-157.

Berg, P. (1993b). Variation between and within populations of mink (2): Skin and fur characteristics. *Acta Agriculturae Scandinavica Section A- Animal Science*. Vol. 43, pp 158-164.

Bloom, M.E., Kanno, H., Mori, S., Wolfenbarger, J.B. (1994). Aleutian Mink disease: Puzzles and paradigms. *Infectious Agents and Disease – Reviews Issues and Commentary*. Vol. 3, pp 279-301.

Boissinagasse, L, Ravault, J.P., Boissin, J. (1984). Circadian photosensitivity and regulation of annual cycles of prolactinemia and of the testicular function in a short day mammal- the mink. *Journal of Physiologie*. Vol. 79, pp A8-A8.

Botner, A.G., Jorgensen, P.H. (1983). An outbreak of excessive neonatal mortality in four Danish mink farms (2): Analytic epidemiological investigations. *Acta Veterinaria Scandinavica*. Vol, 24, pp 499-511.

Bowness, E.R. (1968). A survey of the gestation period and litter size in ranch mink. *Can. Vet. J.* 9: 103-106.

Børsting, C.F., Damgaard, B.M. (1998). Effects of different energy supply prior to the breeding season on reproductive performance and metabolism in female mink. NJF-seminar no. 293. Bergen, Norway.

Brach, W. (1984). Untersuchungen ber den Einfluss von Fluglarm auf die peri- und postnatalen Verluste beim Farmnerz. *Deutsche Pelztierzuchter*, 58(5), 78.

Brinck, C., Gerell, R, Odham, G. (1978). Anal pouch secretion in mink (*Mustela vison*). *Oikos*, 30: 68-75.

Clausen, T.N., Wamberg, S., Hansen, O. (1996). Incidence of nursing sickness and biochemical observations in lactating mink with and without dietary salt supplementation. *Canadian Journal of Veterinary Research – Revue Canadienne Recherche Veterinaire*. Vol 60, pp 271-276.

Clausen, T.N., Olesen, C.R., Hansen, O., Wamberg, S. (1992). Nursing sickness in lactating mink (*Mustela vison*) (1): Epidemiologic and pathological observations. *Canadian Journal of Veterinary Research – Revue Canadienne Recherche Veterinaire*. Vol 56, pp 89-94.

Cooper, J., Mason, G., (1999). Assessing the behavioural needs of mink (*Mustela vison*) using three methodologies from human microeconomics. *Proceedings of the 33rd International Congress of the International Society for Applied Ethology* 17-21 August 1999. Lillehammer, Norway.

Damgaard, B.M., Lohi, O. (1990). Immune globulins in plasma in mink (*Mustela vison*) revealing divergence among the lines studied. *Scientifur*, 14, pp 299.

Damgaard, B.M., Hansen, S.W. (1996). Stress physiological status and fur properties in farm mink placed in pairs or singly. *Acta Agric. Scand. Sect. A, Animal Sci.* vol 46, pp 253-259.

Daniel, J.C. (1971). Termination of pregnancy in mink by repeated injections during the period preceding implantation. *J. Anim. Sci.* 33: 659-661.

De Catanzaro, D., Knipping, R.P., Gorzalka, B.B. (1981). Antagonism of estrogen-induced lordosis by corticosterone in adrenalectomized-ovarectomized female rats and mice. *Pharmacol. Biochem. Behav.* 15: 761-766.

Eagle, T.C., Sargeant, A.B. (1985). Use of den excavations, decoys, and barrier tunnels to capture mink. *J.Wildl. Manage.* 49(1): 40-42.

Edwards, R. (1997). At the mercy of mink: An alien predator is terrorising the natives across Britain. *New Scientific* 29 November 1997, p 26.

Ellis, L.C. (1996). Melatonin reduces mortality from Aleutian disease in mink (*Mustela vison*). *Journal of Pineal Research.* Vol 21, pp 214-217.

Ellis, L.C., Groesbeck, M.D., Howell, R.E. (1982). Pineal gland – pituitary (α -MSH) interrelationships in fur priming and reproductive cycles in mink (*Mustela vison*). *The Pineal and Its Hormones*, pp 197-205. Alan R. Liss, Inc., 150 Fifth Avenue, New York, NY 10011.

Elofson, L., Lagerkvist, G., Gustafsson, H., Einarsson, S. (1989). Mating systems and reproduction in mink. *Scientifur*, Vol. 13, No. 2.

Enders, R.K. (1952). Reproduction in mink. *Proc. Amer. Phil. Soc.* 96: 691-755.

Fink, R., Tauson, A.H. (1998). Flushing of mink (*Mustela vison*): Effects on energy metabolism and some blood metabolites. *Animal Science.* Vol 66, pp 277-284.

Gilbert, F.F., Gofton, N. (1982a). Terminal dives in mink, muskrat and beaver. *Physiology and Behavior*, Vol 28, pp 835-840.

Gilbert, F.F., Gofton, N. (1982b). Heart rate values for beaver, mink and muskrat. *Comp. Biochem. Physiol.* Vol.73A, No 2, pp 249-251.

Gimpel, J. (1997). The role of the mother as a secure base in the development of exploration behaviour in young mink (*Mustela vison*). Research Project (Project Supervisor: Mason, G.). Department of Zoology. University of Oxford. UK.

Gimpel, J.L., Mason, G. (1998). The mink mother (*Mustela vison*) and her behavioural role at post-weaning ages. Proceedings of the 32nd Congress of the International Society for Applied Ethology 21-25 July 1998. Clermont-Ferrand, France.

Gittleman, J.L. (1983). The behavioural ecology of carnivores. Ph.D. Thesis. University of Sussex. UK.

Gulevich, R.G., Klochkov, D.V. (1988). Endocrine function of the gonads and adrenals in female mink of two genotypes during postnatal ontogenesis. *Journal of Evolutionary Biochemistry and Physiology.* Vol. 24, pp 345-349.

Hadlow, W.J. (1984). Progressive retinal degeneration in ranch mink. *Veterinary Pathology.* Vol. 21, pp 18-27.

Hadlow, W.J. (1985). Carcinoma of the anal sac glands in ranch mink. *Veterinary Pathology.* Vol. 22, pp 206-218.

Hadlow, W.J. (1986). Carotid-body tumor: An incidental finding in older ranch mink. *Veterinary Pathology*. Vol. 23, pp 162-169.

Hadlow, W.J., Race, R.E. (1981). Common occurrence of urethral cysts in older female ranch mink. *Veterinary Pathology*. Vol. 18, pp 599-607.

Halliwell, E.C., Macdonald, D.W. (1996). American mink (*Mustela vison*) in the Upper Thames catchment: Relationship with selected prey species and the availability. *Biological Conservation*. Vol. 76, pp 51-56.

Hansen, C.P.B., Jeppesen, L.L. (2000 a). Effects of blocking farm mink feed access with open water. *Agric. Fwd. Sci. Finland*, 9: 157-163.

Hansen, C.P.B., Jeppesen, L.L. (2000 b). Short term behavioural consequences of denied access and environmental facilities in mink. *Agric. Fwd. Sci. Finland*, 9: 149-155.

Hansen, O., Wamberg, S., Clausen, T.N. (1996). Failure of loop diuretics to induce nursing sickness in mink at weaning. *Canadian Journal of Veterinary Research- Revur Canadienne de Recherche Veterinaire*. Vol. 60, pp 277-280.

Hansen, S.W. (1995). Mink. In: Krohn, C.C., Sievertsen, H.C., Giersing, M., Kjaer, J., Hansen, S.W. & Jeppesen, L.L. *Farm Animal Behaviour and Farm Animal Produktion – A Report on research in farm animal welfare*. Ministry of Agriculture and Fisheries, Research Secretariat. pp 174 (In Danish).

Hansen, S.W., Damgaard, B. (1991). Effect of environmental stress and immobilization on stress physiological variables in farmed mink. *Behavioural Processes*, Vol 25, pp 191-204.

Hansen, S.W., Houbak, B., Malmkvist, J. (1997). Does the “solitary” mink benefit from having company? *NJF Seminarium nr. 280 / NJF Utredning/ Rapport nr. 116*, Helsingfors, Finland.

Hansen, S.W., Houbak, B., Malmkvist, J. (1998). Development and possible causes of fur damage in farm mink: Significance of social environment. *Acta Agric. Scand., Sect. A, Animal Sci.* 48: 58-64.

Hansen, S.W., Jensen, M.B., Pedersen, L.J., Munksgaard, L., Ladewig, J., Matthews, L.R. (2000) *Proceedings of the 34th International Congress of the International Society for Applied Ethology 17-20 October 2000*. Florianópolis, Brazil.

Harri, M., Nurminen, L., Filén, T. (1995). Stomach ulcer as an indicator of stress in farm mink. *Acta Agric. Scand. Sect. A, Animal Sci.* Vol 45, pp 204-207.

Hasson, A. (1947). The physiology of reproduction in mink (*Mustela vison Schreber*) with special reference to delayed implantation. *Acta Zoologica*. 28: 1-136.

- Heller, K.E., Houbak, B., Jeppesen, L.L. (1988). Stress during mother-infant separation in ranch mink. *Behavioural Processes*, 17, 217-227.
- Houbak, B. (1990). Determination of social structure of farm mink kept in groups. *Scientifur*, Vol. 14, No 4, pp 299-300.
- Houbak, B., Møller, S.H. (2000). Activity and stereotypic behaviour in mink dams fed ad libitum or restricted during the winter. *Scientifur*, Vol. 24, No 4.
- Hunter, D.B., Prescott, J.G. (1991). Staphylococcal adenitis in ranch mink in Ontario. *Canadian Veterinary Journal-Reveu Veterinaire Canadienne*. Vol 32, pp 354-356.
- Jackson, M.K., Ellis, L.C., Morrey, J.D., Li, Z.Z., Barnard, D.L. (1996). Progression of Aleutian disease in natural and experimentally induced infections of mink. *American Journal of Veterinary Research*. Vol 57, pp 1753-1758.
- Johnston, B., Rose, J. (1999). Role of prolactin in regulating the onset of winter fur growth in mink (*Mustela vison*): A reconsideration. *Journal of Experimental Zoology*. Vol. 284, pp 437-444.
- Jonge, G.de, (1993). De invloed van jeugdervaringen op de ontwikkeling van onrust van nertsen (The influence of experiences during the youth upon the development of restless behaviour in mink) *De Pelsdierenhouder*, 47(9), 256-257.
- Jonge, G.de, (1995). Afslanken lijkt weer weinig zinvol (Again, slimming down does seek useless) *De Pelsdierenhouder*, 45 (10), pp 298-303.
- Jonge, G.de, Leipoldt A.L. (1994a). Onrust, uitval en fokresultaten van nertsteven. *De Pelsdierenhouder*, 44(1), 17-19.
- Jonge, G.de, Leipoldt A.L. (1994b). De invloed van erfelijke aanleg en omgeving op de onrust van nertsen. *De Pelsdierenhouder*, 44(3), 110-118.
- Jonge, G.de, Leipoldt A.L. (1995a). Onrustig gedrag hangt niet af van de speenleeftijd (Restless behaviour does not depend on weaning age) *De Pelsdierenhouder*, 45(5), 151-153.
- Jonge, G.de, Leipoldt A.L. (1995b). Onrust is niet aangeleerd maar aangeboren. *De Pelsdierenhouder*, 45(5), 154-156.
- Jonge, G. de, Kleyn van Willigen, F.C. (1994). De hartslagfrequentie van de nerts (Heart frequency of mink) *De Pelsdierenhouder*, 44(9), 252-253.
- Jonge, G.de, Wassink, A. (2000). Agressieve nertsen zijn slechte moeders (Aggressive mink are bad mothers) *De Pelsdierenhouder*, 50 (4).
- Jorgensen, P.H., Botner, A.G. (1983). An outbreak of excessive neonatal mortality in 4 Danish mink farms (1): Descriptive epidemiological investigations. *Acta Veterinaria Scandinavica*. Vol. 24, pp 488-498.

Kharlamova, A.V., Trapezov, O.V. (1999). Pleiotropic effect of black crystal mutation on reproductive parameters in American mink vison. Russian Journal of Genetics. Vol. 35, pp 647-652.

Kittinger, J.W., Gutierrez-Cernosek, R.M., Cernosek, S.F., Pasley, J.N. (1980). Effects of adrenocorticotropin on pregnancy and prolactin in mice. Endocrinology 107: 616-621.

Kleyn van Willigen, F.C., de Jonge, G. (1996). Onderzoek toont weer geen orgaanafwij wy-kingen aan (Again, we failed to find organ aberrations). De Pelsdierenhouder, 46(4), 117-119.

Klotchkov, D.V., Trapezov, O.V., Kharlamova, A.V. (1998). Folliculogenesis, onset of puberty and fecundity of mink (*Mustela vison Schreb.*) selectively bred for docility or aggressiveness. Theriogenology. Vol. 49, pp 1545-1553.

Korhonen, H., Harri, M., Asikainen, J. (1983). Thermoregulation of polecat and raccoon dog: A comparative study with stoat, mink and blue fox. Comp. Biochem. Physiol. Vol. 74A, No 2, pp 225-230.

Korhonen, H., Hansen, S.W., Malmkvist, J., Houbak, B. (2000). Stress-induced hyperthermia in confident and fearful mink. Scientifur. Vol. 24, no 4, Volume IV-B: Behaviour and Welfare.

Lagerkvist, G., Johansson, K., Lundeheim, N. (1993). Selection for litter size, body weight and pelt quality in mink (*Mustela vison*): Experimental design and direct response of each trait. J. Anim. Sci. 71: 3261-3272.

Lagerkvist, G., Johansson, K., Lundeheim, N. (1994). Selection for litter size, body weight and pelt quality in mink (*Mustela vison*): Correlated responses. J. Anim. Sci. 72: 1126-1137.

Lariviere, S. (1996). The American mink, *Mustela vison*, (*Carnivora, Mustelidae*) can climb trees. Mammalia. Vol. 60, pp 485-486.

Lewis, M.H., Gluck, J.P., Bodfish, J.W., Beauchamp, A.J., Mailman, R.B. (1996). Neurobiological basis of stereotyped movement disorder in animals and humans. In: Sprague and K.M. Newell Editors, Stereotypy: Brain behavior relationships American Psychological Association Press, Washington, DC, pp 37-67.

Loftsgard, G., Braathen, S., Helgebostad, A. (1972). Electrical stunning of mink. Vet. Rec. 91, 132.

Löliger, H.CH. (1984). The euthanasia of fur bearing animals for pelting. Communications proceedings of the 3rd International Scientific Congress in Fur Animal Production. No.54.

Malmkvist, J. (1998). Evaluation of a plus-maze test adapted to mink. Proceedings of the 32nd Congress of the International Society for Applied Ethology 21-25 July 1998. Clermont-Ferrand, France.

Malmkvist, J., Hansen, S.W. (2000). Evidence for temperament traits in mink: Has selection for reaction towards human affected behaviour in other situations? Proceedings of the 34th International Congress of the International Society for Applied Ethology (Oral papers) 17-20 October 2000. Florianópolis, Brazil.

Malmkvist, J., Houbak, B. (2000). Measuring maternal care in mink: Kit retrieval test. Proceedings of the VII International Scientific Congress in Fur Animal Production Scientifur. Vol. 24, no 4, Volume IV-B: Behaviour and Welfare.

Malmkvist, J., Houbak, B., Hansen, S.W. (1997). Mating time and litter size in farm mink selected for confident or timid behaviour. *Animal Science*, 65, pp 521- 525.

Martinet, L., Allais, D., Allain, D. (1981). The role of prolactin and LH in luteal function and blastocyst growth in mink (*Mustela vison*). *J. Reprod. Fert., Suppl.* 29: 119-130.

Martinet, L. Ravault, J.P., Meunier, M. (1982). Seasonal variations in mink (*Mustela vison*) plasma prolactin measured by heterologous radioimmunoassay. Vol. 48, pp 71-75.

Martino, P.E. (1991). A note on diseases of mink. *Journal of Veterinary Medicine*. Vol 38, pp 227-230.

Mason, G., Clareborough, C., Cooper, J. (1999). Drink or swim? Using substitutability and physiological responses to frustration to assess the importance of swimming-water for mink. Proceedings of the 33rd International Congress of the International Society for Applied Ethology 17-21 August 1999. Lillehammer, Norway.

McCune, S. (1992). Temperament and the welfare of caged cats. Dissertation submitted to the University of Cambridge for the degree of Doctor of Philosophy. October 1992.

Møller, S. (1999). Management of mink production. Ph.D. thesis. Inst. For Animal Husbandry and Animal Health, The Royal Veterinary and Agricultural University & Dept. of Animal Health and Welfare, Danish Institute of Agricultural Sciences pp 172 (In Danish).

Møller, S., Hansen, S.W. (2000). Assessing and improving the welfare of farm mink by selection for explorative behaviour. Proceedings of the 34th International Congress of the International Society for Applied Ethology (Poster). 17-20 October 2000. Florianópolis, Brazil.

Møller, S., Lohi, O. (1988). Drinking behaviour and weight development in mink with a dripping water system (In Danish). *Faglig Årsberetning*, 1988. Dansk Pelsdyravlerforening, ISSN 09026371, pp 42-51.

Murphy, B.D. (1992). Progress and challenges in the physiology of reproduction in furbearing carnivores. *Norweg. J. agri. Sci., suppl.* 9: 17-29.

- Murphy, B.D., Concannon, P.W., Travis, H.F., Hansel, W. (1981). Prolactin: the hypophyseal factor that terminates embryonic diapause in the mink. *Biol. Reprod.* 25: 487-491.
- Neil, M. (1992). Supplementary dietary water to mink in lactation and early kit growth. *Swedish Journal of Agricultural Research*. Vol. 22, pp 125-129.
- Nikulina, E.M., Popova, N.K. (1988). Predatory Aggression in the mink (*Mustela vison*): Roles of serotonin and food satiation. *Aggressive Behavior*. Vol. 14, pp 77-84.
- Noordhuizen-Stassen, E.N., Urlings, H.A.P., Deleu, S.A.M. (2000). Mink farms: The beginning of the end. *Tijdschrift Voor Diergeneeskunde*. Vol 125, pp 225-226.
- Ocrowley, K., Wilson, J.G. (1991). Feral mink (*Mustela vison*) and their potential as disease vectors in Ireland: An investigation in Co. Wicklow. *Irish Veterinary Journal*. Vol 44, pp 71-74.
- Pace, N.C. (1987). A natural-killer-cell assay for the mink using a mouse lymphoma as the target-cell line. *Laboratory Animal Science*. Vol. 37, pp 220-223.
- Pearson, O.P., Enders, R.K. (1944). Duration of pregnancy in certain mustelids. *J. exp. Zool.* 95: 21-35.
- Pedersen, V. (1996). Combined behavioural and physiological measurements as a basis of the assessment of animal welfare. *Acta Agriculturae Scandinavica, Section A, Animal Science Suppl.* 27, 69-75.
- Pedersen, V., Jeppesen, L.L. (2000). Effects of family housing on behaviour, plasma cortisol and performance in adult female mink (*Mustela vison*). *Acta Agriculturae Scandinavica, Section A, Animal Science* 50, 00-00.
- Pedersen, V., Jeppesen, L.L., Dalsgaard, T. (2000). Effects of different housing conditions and artificial weaning age on behavioural, physiological and production-related parameters in adult female mink (*Mustela vison*). *Proceedings of the 34th International Congress of the International Society for Applied Ethology (Poster)*. 17-20 October 2000. Florianópolis, Brazil.
- Pesso, K. (1969). Uppfödingen av minkhonor I gemensam bur sommaren 1968. *Finsk Pälstidsskrift*. No 9, pp 357-363.
- Polejaeva, I.A., Reed, W.A., Bunch, T.D., Ellis, L.C., White, K.L. (1997). Prolactin-induced termination of obligate diapause of mink (*Mustela vison*) blastocysts in vitro and subsequent establishment of embryonic stem-like cells. *Journal of Reproduction and Fertility*. Vol. 109, pp 229-236.
- Pölönen, I. (2000). Silage for fur animals: preservation efficiency of formic acid and Benzoic Acid in the Ensiling of Slaughterhouse by-products and their subsequent metabolism in farmed fur animals. Academic dissertation. Faculty of Agriculture and Forestry of the University of Helsinki. October 20th. University of Helsinki. Department of Animal Science Publications.

Poole, T.B. (1978). An analysis of social play in *Mustelidae* with comments on the farm and evolutionary history of the open mouth play face. *Animal Behaviour* 26, 36-49.

Poole, T. (1999). *The UFAW Handbook on the Care and Management of Laboratory Animals*. Edited for UFAW by Trevor Poole. Blackwell Science.

Powell, R.A., Zielinski, W.J. (1989). Mink response to ultrasound in the range emitted by prey. *Journal of Mammalogy*. Vol. 70 pp 637-638.

Proulx, G., Barrett, M.W. (1991). Evaluation of the Bionic® Trap to quickly kill mink (*Mustela vison*) in simulated natural environments. *Journal of Wild Life Diseases*. 27(2), pp 276-280.

Rattenborg, E., Chriel, M., Dietz, H.H. (1999). Influence of farm, feed-producer and season on incidence of gastrointestinal disorders in Danish farm mink. *Preventive Veterinary Medicine*. Vol. 38 pp 231-237.

Rattenborg, E., Dietz, H.H., Andersen, T.H., Moller, S.H. (1999). Mortality in farmed mink: Systematic collection versus arbitrary submissions for diagnostic investigation. *Acta Veterinaria Scandinavica*. Vol. 40 pp 307-314.

Report of the AVMA Panel on Euthanasia (1986). *J. Am. Vet. Med. Ass.* 188, 252.

Restum, J.C., Bush, C.R., Malinczak, R.L., Watson, G.L., Braselton, W.E., Bursian, S.J., Aulerich, R.J. (1995). Effects of supplemental dietary-sodium chloride and restricted drinking water on mink. *Veterinary and Human Toxicology*. Vol. 37, pp 4-10.

Risager, H.J. (1989). Optimal dieperiode mindsker minkhvalpes slagsmål. *Dansk Pelsdyravl*, 52: 315-316.

Rose, J. (1998a). Adrenocorticotrophic hormone (ACTH) but not alpha-melanocyte stimulating hormone (alpha-MSH) as a mediator of adrenalectomy induced hair growth in minks. *Journal of Investigative Dermatology*. Vol. 110, pp 456-457.

Rose, J. (1998b). Bilateral adrenalectomy induces early onset of summer fur growth in mink (*Mustela vison*). *Comparative Biochemistry and Physiology C-Pharmacology, Toxicology and Endocrinology*. pp. 243-247.

Rose, J., Sterner, M. (1992). The role of the adrenal glands in regulating onset of winter fur growth in mink (*Mustela vison*). *Journal of Experimental Zoology*. Vol. 262, pp 469-473.

Rose, J., Stormshak, F., Oldfield, J., Adair, J. (1984). Induction of winter fur growth in mink (*Mustela vison*) with melatonin. *Journal of Animal Science*. Vol. 58, pp 57-61.

Rouvinen, K.I., Johnson, M.A., Rasmussen, P.V., Lohl, O. (1996). Delayed priming in black mink (*Mustela vison*). Acta Agric. Scand. Sect. A, Animal Science. Vol. 46, pp 260-262.

Schneider, R.R., Hunter, D.B. (1993). Nursing disease in mink: Clinical and postmortem findings. Veterinary Pathology. Vol. 30, pp 512-521.

Seimiya, Y., Kikuchi, F., Tanaka, S., Ohshima, K. (1988). Pathological observations of nursing sickness in mink. Japanese Journal of Vet. Science, 50,1: 255-257.

Sidorovich, V.E. (1993). Reproductive plasticity of the American mink (*Mustela vison*) in Belarus. Acta Theriologica. Vol.38, pp 175-183.

Smal, C.M. (1991). Population studies on feral American mink (*Mustela vison*) in Ireland. Journal of Zoology. Vol. 224, pp 233-249.

Smits, J.E.G., Godson, D.L. (1996). Assessment of humoral immune response in mink (*Mustela vison*): Antibody production and detection. Journal of Wildlife Diseases. 32 (2): 358-361.

Spruijt, B.M. (1999). The welfare situation of farmed mink as compared to other farmed animals and the question of domestication. Animal Welfare Center. Veterinary Faculty, Utrech University. AWC Utrech University.

Stevens, R.T., Ashwood, T.L., Sleeman, J.M. (1997). Fall early winter home ranges, movements, and den use of male mink (*Mustela vison*) in Eastern Tennessee. Canadian Field Naturalist. Vol. 111, pp 312-314.

Sundqvist, C., Ellis, L.C., Bartkey, A. (1982). Reproductive endocrinology of the mink (*Mustela vison*). Endo. Rev., 9: 247-266.

Sundqvist, C., Lukola, A., Valtonen, M. (1985). Reproductive capacity in male mink after long distance transportation in pregnant females. Andrologia, 17: 575-578.

Tauson, A.H. (1985). Different feeding intensity levels to mink (3): Effects on post-weaning kit growth performance and fur quality characteristics. Swedish J. Agric. Res., 15: 109-118.

Tauson, A.H. (1999a). Water intake and excretion, urinary solute excretion and some stress indicators in mink (*Mustela vison*) (1): Effect of ambient temperature and quantitative water supply to adult males. Animal Science. Vol. 69, pp 171-181.

Tauson, A.H. (1999b). Water intake and excretion, urinary solute excretion and some stress indicators in mink (*Mustela vison*) (2): Short-term response of adult males to changes in ambient temperature. Animal Science. Vol. 69, pp 183-190.

Tauson, A.H., Aldén, E. (1985). Different feeding intensity levels to mink (2): Effects on female reproductive performance, pre-weaning kit growth and longevity of females. Swedish J. Agric. Res., 15: 97-107.

- Tauson, A.H., Elnif, J., Wamberg, S. (1997). Nitrogen balance in adult female mink (*Mustela vison*) in response to normal feeding and short-term fasting. *British Journal of Nutrition*. Vol. 78, pp 83-96.
- Trapezov, O.V., Markel, A.L. (1987). Effect of colour mutations in American Mink on the adrenocortical function under chronic feed stress. *Genetika*, 25: 508-512.
- Venge, O. (1973). Reproduction in the mink. *Kgl. Vet.- og Landbohøjsk. Årsskr.* 1973: 95-146.
- Wamberg, S., Tauson, A.H., Elnif, J. (1996). Effects of feeding and short-term fasting on water and electrolyte turnover in female mink (*Mustela vison*) *British Journal of Nutrition*. 76: 711-725.
- Wamberg, S., Clausen, T.N., Olesen, C.R., Hansen, O., (1992). Nursing sickness in lactating mink (*Mustela vison*) (2): Pathophysiology and changes in body-fluid composition. *Canadian Journal of Veterinary Research – Revue Canadienne Recherche Veterinaire*. Vol. 56, pp 95-101.
- Weiss, D.J., Wustenberg, W., Bucci, T.J., Perman, V. (1994). Hematologic and serum chemistry reference values for adult brown mink. *Journal of Wildlife Diseases*. 30(4), pp 599-602.
- Weiss, D.J., Swanson, L.V., Adair, J., Oldfield, J.E., Stormshak (1980). Photoperiodic effects on serum glucocorticoids and fur growth in mink. *Journal of Animal Science*. Vol. 51, No.6, 1367.
- West, N.H., Vanvliet, B.N. (1986). Factor influencing the onset and maintenance of bradycardia in mink. *Physiological Zoology*. Jul- Aug, pp 451-463.
- Willemse, T., Spruijt, B.M. (1995). Preliminary evidence for dopaminergic involvement in stress-induced excessive grooming in cats. *Neurosci. Res. Commun.*, 17: 203-208.
- Willemse, T., Mudde, M., Josephy, M., Spruijt, B.M. (1994). The effect of haloperidol and naloxone on excessive grooming behaviour of cats. *European Neuropsychopharmacology*. 4: 39-45.
- Williams, T.M. (1986). Thermoregulation of the North-American mink during rest and activity in the aquatic environment. *Physiological Zoology*. Vol. 59, pp 293-305.
- Zanella, A.J., Mason, G., Schmidt, P. (1998). Selective breeding can affect the performance of abnormal behaviour and neurophysiological indicators in mink. *Proceedings of the 32nd Congress of the International Society for Applied Ethology*. 21-25 July 1998. Clermont-Ferrand, France.
- Zimmermann, H., Schweder, P. (1985). Occurrence and composition of uroliths in farm mink. *Monatshefte Fur Veterinar Medizin*. Vol. 40, pp 374-376.

ANNEX 2

LIST OF MEMBERS OF S.C.A.H.A.W.

Reinhard Ahl	Former Deputy President, Federal Research Centre for Virus Diseases of Animals, Tübingen (Deutschland)
Dennis J. Alexander	Head of Section, Dir. of laboratory, VLA Weybridge, Addlestone (United Kingdom)
Harry J. Blokhuis	Head of Department, Institute for Animal Science and Health, Lelystad (Nederland)
Donald Maurice Broom	Professor of Animal Welfare, University of Cambridge, Cambridge (United Kingdom)
Robert Dantzer	Dir. of Laboratory, Institut National de la Santé et de la Recherche; Dir. of Research, Institut National de la Recherche Agronomique, Bordeaux (France)
Michael Gunn	Superintending Senior Research Officer, Department of Agriculture, Food, and Forestry, Veterinary Research Laboratory, Dublin (Ireland)
Per Have	Head of Diagnostic Dept., Danish Veterinary Institute for Virus Research, Lindholm (Danmark)
Per O.S. Jensen	Professor of Ethology, Swedish University of Agricultural Sciences, Skara (Sverige)
Pierre Le Neindre	Dir. of Laboratory, Institut National de la Recherche Agronomique, Laboratoire Adaptation des Herbivores aux Milieux, Saint Genès Champanelle (France)
David B. Morton	Director, Biomedical Services Unit, University of Birmingham, The Medical School, Birmingham (United Kingdom)
Volker Moennig	Rector, Tierärztliche Hochschule, Hannover (Deutschland)
Jos P.T.M. Noordhuizen	Head, Ruminant Health Group, Universiteit Utrecht, Faculty of Veterinary Medicine, Utrecht (Nederland)
Gian Franco Panina	Former Head, Istituto Zooprofilattico Sperimentale, Brescia (Italia)
André-Laurent Parodi	Professeur, Directeur de l'Ecole Vétérinaire d'Alfort, Maisons-Alfort (France)

James Michael Sharp	Principal Veterinary Research Officer and Head of Molecular Virology, Moredun Research Institute – International Research Centre, Penicuik Midlothian (United Kingdom)
Jan T. van Oirschot	Head of Dept., Institute of Animal Science and Health, Lelystad (Nederland)
Emmanuel Vanopdenbosch	Head of Department of Biocontrol, Veterinary and Agrochemical Research Institute, Bruxelles (Belgique)
Marina Verga	Full Professor of Zootechnics and Ethology applied to Domestic Animals, Università di Milano, Facoltà di Medicina Veterinaria, Milano (Italia)
Per J.F.M. Wierup	Director, Swedish Animal Health Service, Johanneshov (Sverige)

Begin your reference list by listing the name of the first reference in bold. In the line beneath that, write their relationship to you and the company you both worked at. Include the work address beneath that " provided that they still work at the company where you both worked together; If they do not, leave the work address out and remember to check to make sure that your contact information is current. Format any additional references in a similar way. If you have experience in multiple fields of work, breaking your reference list into several subsections, one for each field, will make the page easier to read for your employer. Keep in mind that references that you gained while working in a field of work that differs greatly from the one you are applying for shouldn't be listed. Advertisement.